


# ***Jeti Cable***

Converting 9bit data to 8bit used by Snipe and Finch.



Manual version: 1.0

RC Electronics  
[support@rc-electronics.eu](mailto:support@rc-electronics.eu); [www.rc-electronics.eu](http://www.rc-electronics.eu)

## Contents

---

Introduction.....	3
Specifications.....	3
How it install it.....	3
ds-16.....	3
dc-24.....	5
Revision history.....	6

## Introduction

---

The Jeti Cable is a converting cable needed to convert JetiEx 9bit serial data to 8bit serial data which is used in Snipe and Finch units. It has 3.5mm jack audio connector to which external cable is then connected , connecting Snipe / Finch unit with Jeti transmitter. Power is taken from Jeti transmitter battery and power consumption is 5mA.

### *Specifications*

Unit Dimensions	23 mm x 11 mm x 5 mm + cable on each side
Weight	3 grams

## How it install it


---

User must enable JetiEX protocol output on internal PPM connector. To do it so please goto Jeti setup menu → System → Configuration and set PPM Con. Settings to EX Data stream!

3.5mm audio connector can be installed in free switch hole or user must drill out on side / back plate new hole in order to install it.

ds-16









dc-24





## Revision history

---

18.10.2019	v1.0	- initial release
------------	------	-------------------